

ScanWin Installation and Windows 7 - 64 bit operating system

In order to run the ScanWin Pro install and program on *Windows 7 64 bit operating system* you need to install a *Virtual PC* and then install a valid, licensed MS Windows 32 bit operating system such as *Windows XP* on that virtual machine. This can be accomplished by downloading and installing *Microsoft Windows XP Mode* and *Microsoft Windows Virtual PC* on your computer. *Microsoft Windows Virtual PC* is the program that runs virtual operating systems on your computer while XP Mode includes a valid MS Windows XP license and files for the operating system.

A) Downloading the virtual PC and Windows XP Mode

Instructions for downloading and installing Microsoft Windows XP Mode and Microsoft Windows Virtual PC are available at Microsoft web page: http://windows.microsoft.com/en-us/windows7/install-and-use-windows-xp-mode-in-windows-7

Additional technical information on Microsoft Virtual PC is available at Microsoft web page: http://technet.microsoft.com/en-us/library/dd744684(WS.10).aspx

Before downloading and installing *Microsoft Windows XP Mode* and *Microsoft Windows Virtual PC* ensure that you're running *Windows 7 Professional, Enterprise, or Ultimate* on your computer. To find out which edition of Windows 7 you're running:

- click the *Start* button
- right click *Computer*
- click **Properties**





The edition of Windows 7 you are running is displayed under Windows edition near the top of the window 32-bit and 64-bit information appears under *System*, next to *System type*

B) Windows XP Mode Setup

After installing Microsoft Windows XP Mode and Microsoft Windows Virtual PC

- 1. click the Windows 7 *Start* button
- 2. select All Programs > Windows Virtual PC > Windows XP Mode
- 3. click *I Accept* to accept license terms then click *Next* button



4. enter a password then click *Next* button



🕒 획 Windows XP Mode Setu	up
Installation folder an	d credentials
Installation folder	
C:\Users\Buba\AppDa	ta\Local\Microsoft\Windows Virtual PC\Virtual I Browse
Create credentials User name: Password: Confirm password:	XPMUser
Remember credentia	als (Recommended)
More about credentials	; for Windows XP Mode
	Next Cancel

This password is for the default user account that will be used in the XP operating system

5. make required selection for Automatic Updates



6. click Start Setup to begin





C) Virtual machine COM port configuration

Follow this procedure when using the DB9 to PC and Fischer connector on Scanner

1. click the Windows 7 Start button



- 2. select *All Programs > Windows Virtual PC > Windows Virtual PC* to open the Virtual Machine folder
- 3. in the Virtual Machines folder, right-click the name of the virtual machine virtual machine will have **vmcx** as the file name extension



4. select *Settings* from the *Tools* menu



 in the left pane of the *Windows Virtual PC Settings* page, click the name of an available COM port. e.g. COM 1

Setting	Current Value	COMI
Name Memory Hard Disk 1 Hard Disk 2 Hard Disk 3 Undo Disks OVD Drive COM1 COM2 Networking Integration Features	Windows XP Mode 1 256 MB Windows XP Mode None Disabled D: Physical serial port None Network adapters:1 Auto Enable	COM1 None Physical serial port: COM1 Wait for modem command to open port Named pipe: Comnomination Text file:
Keyboard P Logon Credentials Auto Publish Close	Full screen Saved Enabled Hibernate	You can select a serial port on the computer, a named pipe, or a text fi use a COM port in the virtual machine. More about using a COM port

- 6. In the right pane, select the type of connection you want to make... see Fig.2 above
- 7. Click **OK** to save the change

D) Virtual machine USB configuration

Follow this procedure when using a USB to serial converter to connect to the Barton Scanner

Cameron recommends using the IO Gear's GUC232A USB-Serial converter as this converter was tested and found to be fully compatible with Barton's Scanner 16 bit software.

The USB to Serial drivers can be installed in either the primary operating system (Win 7 64 bit) or in the Virtual PC Operating system (typically XP 32 bit) but the driver installed needs to correspond and be compatible with the Operating system chosen. As it is likely that the USB to Serial converter will be used with other software in Win 7 64 bit it is recommended that the USB to Serial Drivers be installed in Win 7 64 bit as outlined below.

D-1) Installing USB to Serial drivers in Win 7 64 bit

- plug the converter into an available USB port on your computer and install the drivers supplied on CD ROM - in Windows 7 *only* per manufacturer's instructions *DO NOT install drivers in Windows XP*
- 2. once the installation is completed, you will need to know what COM port the USB to serial converter is installed as
- 3. To find out which COM port



- click the *Start* button
- right click *Computer*
- click *Properties*



• double click *Device Manager*



- you will now see the *Device Manager* of your computer
- click on branch label *Ports* to display available ports



Bevice Manager
File Action View Help
CLG702381
Disk drives
🔈 📲 Display adapters
DVD/CD-ROM drives
▷ Unit an interface Devices ▷ IDE ATA/ATAPI controllers
> — Keyboards
Mice and other pointing devices
Monitors
Network adapters
⊿ Other devices TOSHIBA e-STUDIO Series
Ports (COM & LPT)
🖓 ATEN USB to Serial Bridge (COM4)
- Communications Port (COM1)
ECP Printer Port (LPT1)
Sound, video and game controllers
System devices
🔈 – 🏺 Universal Serial Bus controllers
USB Virtualization
WSD Print Provider

As shown above, (COM4) represents the communication port the USB to serial converter is assigned to in Win 7 64 bit.

The USB to serial drivers are installed at this point but now we have to map the USB serial port (COM4 in above example) to the COM port of the Virtual PC. To do this refer to the procedure in Section C above and select the USB Com port (COM4 in above example) as the Physical COM port.

D-2) Installing USB to Serial drivers in the Operating System on the Virtual PC

Start the Virtual PC and once running plug in the USB to Serial adaptor and follow the procedure that came with the adaptor to install the drivers for the virtual PC operatins system installed (typically XP 32 bit). Ensure that the USB to serial converter is assigned to COM ports 1, 2, 3 or 4 for proper ScanWin operation. See manufacturer's instructions on how to re-assign COM ports if required

NOTE: This procedure has not been fully tested as it is recommended to install the USB to Serial adaptor in the Primary operating system versus the virtual PC operating system.



E) Installing ScanWin Pro... installation must be done in XP Mode

- 1. click the Windows 7 Start button 🤎
- 2. select All Programs > Windows Virtual PC > Windows XP Mode to start Windows XP
- **3.** insert the ScanWin CD if CD do not run automatically then start ScanWin installation manually:
 - a) select CD drive
 - b) open the ScanWin folder
 - c) click Start shortcut to open the ScanWin release pack page... shown below

ScanWin ®	B300W	
News	Introduction	Contents
pressure-based	Welcome to the ScanWin PRO release pack which contains all of the items	Software
is a process control	you require to install, configure, operate, download and maintain a measurement system using a Scanner EFM/RTU 1130, 1131, 1140 or	ScanWin PRO Install 🚽
and multi-fluid 1141.	1141.	ScanWin LITE Install
accurate, repeatable and cost optimized measurement	ter, repeatable and cost ized measurement ons. Designed to work in to ensure you can commission or operate any measurement site in the creased and processed ations, the IuFlo Cone included with this release pack by selecting and opening the various links. is ideal for upstream.	SCM Viewer Install
solutions. Designed to work in unprocessed and processed applications, the NuFlo Cone Meter is ideal for upstream,		ScanFlash Install 🛛 🚽
		Firmware
midstream and downstream applications that present a	Visit the Companion Products section to get information on other products related to Scanner EFM/RTU's that Cameron can supply to complete your	NFlo M 4.3.6 Collection
wide range of measurement measurement system.	measurement system.	NFlo P 4.3.6 Collection
	We take every effort to ensure the information and products included in this release pack are the latest but just in case we have included direct links to the Cameron Home and Measurment relevant WEB page sites. If you don't find what you need in this release pack please visit these links or send us an e-mail using the contact link.	Data Sheets
Relevant Links		FAO
Cameron Home Page		Procedures
Measurement Systems		Companion Products
Flow Computers		Other
Contact Us		

4. click *ScanWin Pro Install* button to run the installation program

At completion of ScanWin installation it is recommended that both SCM Viewer and ScanFlash software be installed by clicking the *SCM Viewer install* and *ScanFlash Install* buttons respectively

F) Setting ScanWin Pro to "Run in separate memory space" ...must be done in XP Mode

Before registering ScanWin PRO, ensure that ScanWin PRO is running in a separate memory space by performing the following steps

- 1. right click on the *ScanWin Pro* icon on the computer's desktop
- 2. select **Properties**
- 3. select the *Shortcut* tab and then click the *Advanced* button



CANWIN PRO I	B300W Properties	×
General Shorter	ut Compatibility Security	_
so 🖉	ANWIN PRO B300W	
Target type:	Application	
Target location:	B300w	
Target:	Bdms\Program\Scanwin\B300w\SCANWIN.EX	
Start in:	C:\Barton\Bdms\Program\Scanwin\B300w	
Shortcut key:	None	
Run:	Normal window	•
Comment:		
Find	Target Change Icon Advanced <	
	OK Cancel Apply	

4. On the *Advanced Properties* page, check the box that says *Run in separate memory space*



- 5. click **OK** to save changes
- 6. click **OK** on the **ScanWin Properties** page

G) Registering ScanWin Pro... registration must be done in XP Mode

- 1. start the program by double-clicking the ScanWin PRO icon on the desktop
- 2. the program will inform you that it is *Checking ScanWin Registration* and then display the registration window below



Barton Registration			×					
User:								
Company:								
Serial Number on Disc:	c	ontinue 📃 🗖 Cl	ear Serial Number?					
Site Code:								
Authorization Key:								
To register, contact the Barton HelpDesk at North America: 1-800-654-3760 International: 1-403-291-4814 Email: helpdesk@nuflotech.com								
	<u>D</u> emo Mode	Register <u>N</u> ow	<u>C</u> ancel					

- 3. enter both the *User* and *Company* names
- 4. copy the serial number that is printed on the packaging containing the installation disc
- 5. click on the *Continue* button
- 6. note the *Site Code* key that is generated and displayed in the second to last field
- 7. contact *Barton Scanner Technical Support* (403-291-4814) with the generated *Site Code* key to have an *Authorization Key* issued
- 8. copy the *Authorization Key* into the last field
- 9. click the *Register Now* button